Cabol Shipping Supplies

MATERIAL HANDLING

CABOT SHIPPING SUPPLIES LTD. 106 Burbridge Avenue Dartmouth, Nova Scotia B3B 0G7

TOLL FREE 1-800-565-0606 HRM (902) 468-2057 FAX (902) 468-2251 EMAIL sales@cabotss.com

DELIVERY IN 7 TO 10 DAYS!

MATERIAL HANDLING & WAREHOUSE EQUIPMENT PROMOTION

 Includes: 1-PE555 1-PG175 polyester 1-PF991 1-PF992 1-PF993 Strapping Fits Strap 	Dispenser 5/8" × 4000' × 1400lbs strapping 5/8" open seals, 1000/b 5/8" polyester sealer polyester strapping tensic g Material: Polyester oping Width: 5/8"	strength	ETON	SA • Wy fo stc • It to por or • Co UN • But all wii • Co • 21
Model No. PG187	Promo Price 695.00	\mathcal{O}^{-}		Ma
<u></u>			~	NO
	ML322 • Stron • Doub •		d of 1" round je steel tubing Il loads easily hand control ick nose plate '2" cross bars ktension to be t larger loads umatic wheels	HA • Pu cle • Cli da • VC
	ML323	3		• Fro
Model No.	Description	Dimensions	Promo Price	Mo No.
ML321 ML322 ML323	Lo-Boy Hand Truck Hi-Boy Hand Truck Nose Plate	23" W x 50" H 23" W x 72" H 12" W x 22" D	209.00 258.00 106.00	JP6 JP6 JP6 * Mu

 for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter It can also hold garden supplies, sporting goods, pool supplies, tools, garbage/recyclables, or anything else you want to safely store Constructed of rugged BPA-free UV-resistant polyethylene 			NO61
 Built-in pock allow the bit 	kets for forklifts ns to be moved ptying them	JK232	
 Capacity: 4 21" L x 27" 		RMP	NO61
 Capacity: 4 		Description	NO61 Promo Price
 Capacity: 4 21" L x 27" Model 	W x 26" H		Promo

AND CLEANERS JP604 umice scrubbers combined with gel balance leaning performance and skin feel lings to hands for easy cleaning; GOĴO oesn't fall off into the sink JP605 OC and NPE free 0000 H balanced to leave GOĴO. kin feeling refreshed ragrance: Cherry del Order Promo Description Qty* Price 295.74 ml Bottle 8 504 6.52 505 2.27 L Pump Bottle 4 18.38 2 506 4.5 L Pump Bottle 28.13

* Must be ordered in these multiples

Pricing in effect until April 12, 2024 or while quantities last. Taxes and freight extra. Some items FOB Montreal. Prices are subject to change and may vary without prior notice. Issue #SDM224010NA

PORTABLE HEATER

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A



EA599	58.25
Model	Promo
No.	Price

PORTABLE HEATERS

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Tip over safety switch and thermal safety fuse
- Min. BTU Rating: 2557 BTU/H
- Max. BTU Rating: 5115 BUT/H



EB183

EB182	Ceramic	5
Model No.	Туре	Pr
INDUSTRIAL PROD	DUCTS	

MATRIX

Туре	Promo Price	
Ceramic Fan	53.40 97.60	



• Three heat settings provides full comfort and efficient operation 600 W radiant • 900 W fan forced 1500 W fan forced and radiant Chrome-plated safety arill Automatic built-in thermostat Ceramic core element Tip over safety switch and thermal limit Min. BTU Rating: 2048 BTU/H • Max. BTU Rating: 5120 BTU/H Amperage: 5 A/12.5 A

Model	Promo
No.	Price

PORTABLE OPEN COIL HEATER Two heat settings (1500 W and 1000 W)

- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls
- Type: Radiant Heat
- Min. BTU Rating: 3410 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 8.3 A/12.5 A

EA469	72.15	
Model No.	Promo Price	

PORTABLE FAN-FORCED UTILITY HEATER

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- Min. BTU Rating: 4435 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 10.8 A/12.5 A



MATRIX

MATRIX

OSCILLATING TOWER HEATER

- Built-in over heating protection, tip over switch and power indicator light
- Adjustable thermostat
- 2 heat settings (750 W and 1500 W) provide maximum comfort
- Includes fan only setting
- Voltage: 120 V
- Type: Ceramic
- Power cord length: 6'
- Min BTU Rating: 2550 BTU/H
- Max BTU Rating: 5200 BTU/H
- Dimensions: 7.4" W x 6.9" D x 18.5" H

Model Promo No. Price	EB020
	Model No.





HEAVY-DUTY CEILING MOUNT HEATER

- Built-in ceiling bracket for easy mounting
- Automatic fan delay
- Rugged heavy-duty industrial heater Ideal for use in storage rooms,
- workshops, garages, warehousing Max. BTU Rating: 17060
- Min. BTU Rating: 8530
- Voltage: 240 V
- Min. Amperage: 10.41 A
- Max. Amperage: 20.83 A
- Motor Type: Open
- Plug Type: Hardwire
- Dimensions[.] 10-5/8" W x 12-1/2" D x 14" H



EA532	235.00
Model	Promo
No.	Price

HEAVY-DUTY TILTED HEATER

- Industrial finger proof steel intake/discharge grills
- Durable metal construction with enclosed motor
- One-speed fan only function
- Built-in over heating protection
- Air flow direction adjustable from 10°-50°
- Adjustable thermostat
- Energy-saving
- Convenient carrying handle
- Forced-air heater function
- Safety shutoff function
- Max. BTU Rating: 19107 BTU/H
- Max. Temperature: 100°F
- Type: Ceramic
- Voltage: 240 V Amperage: 23.3 A
- Wattage: 5600 W Cord Length: 6'

EB021	263.00
Model	Promo
No.	Price


PORTABLE **CERAMIC HEATER**

- Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
- Adjustable thermostat
- Big carry handle •
- Adjustable vertical tilt angle
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Voltage: 120 V

EA650	91.85
Model	Promo
No.	Price



MATRIX



EA597	41.75
Model	Promo
No.	Price



- · Built-in over heating protection, tip over switch and power indicator light
- Adjustable thermostat
- 2 heat settings (750 W and 1500 W) provide maximum comfort
- Includes fan only setting
- Voltage: 120 V
- Type: Ceramic

EA786

- Min. BTU Rating: 2600 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Dimensions: 6.7" W x 5" D x 9.6" H



-

MATRIX

Promo Price
61.25



1235.00



MATRIX



PORTABLE FAN-FORCED **CONVECTION HEATER**

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- Wide-angle oscillation
- Min. BTU Rating: 2560 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A

for salt and	SCOOPS ne scoop ideal sand, compost id animal feed	 Lightweight and de 	power for snow and ice tety yellow pility pr: 20"	
Capacity	Promo Price	/		
1 gal. 1 gal.	22.95 23.95	Model No.	Promo Price	
		КН964	43.59	KLETON

NN138	BRO ST/	AINLESS S • Mete	al gear inside of t Stainless steel the hopper and Metal co Rate settin andle for precise Easy three-str Spread W Includes: Raince	DWARI he gear box hardware in d pivot shal ntrol handle g control or adjustment ep assembly 'idth: 10'-12
		5 9		
	6	NN139		
Model No.	Load Capacity	NN139 Coverage sq.ft.	AL Pneumatic Tire Size"	

NATURAL CHOICE[™] ICE MELTER

• All-natural ice melter with an organic additive that improves its performance • This additive also acts as a corrosion inhibitor to reduce metal fatigue • Eco-friendly ice melter

• Container Size: 44 lbs. (20 kg) • Melting Point: -24°C (-11°F)

Promo

28.67/Bag

Price

ural	choice	
del		



Model No.	Colour	Capacity	Promo Price
PE095 PE096	Yellow White	1 gal. 1 gal.	22.95 23.95
	1 1 1	1111	11

		polyethyler • Double-waller • Molded fo	TAINERS valled, durable ne construction
Model No.	Colour	Capacity cu. ft.	Promo Price
30" L X 24" W X	24" H		
ND337	Yellow	5.5	199.00

NM948	Grey	10	299.00
NM947	Yellow	10	299.00
40 L A Z4	W X 24 N		

FIRESTORM™ INTENSE ICE MELTER

• Prevents refreezing even under the most challenging conditions • Safe for children and pets, will not burn skin and gentle on vegetation • Container Size: 44 lbs. (20 kg) Melting Point: -32°C (-25°F)

Distinctive orange colour is easy to see, allowing you to use less while ensuring safety for pedestrians



Model

JB597

No.

PE095

32.37 /Bag
Promo Price



NM812	Included	21-1/4 x 9-1/4	50-1/2	27.45
NM811	Not Included	24-1/2 x 10-3/4	54-1/2	32.45

SCRAPERS

- Top-of-the-line industrial grade tools designed for intense and continuous use
- ala
- Handle Material: Ashwood Handle Type: Straight •
- Handle Length: 48"
- Blade Material: Tempered steel



ATLAS® TEMRES GLC

SEG976

SEG977

SEH643

- Breathable polyurethane coatin
- Insulated acrylic liner for
- cold applications • Excellent wet/dry grip
- Provides protection from liquids in cold conditions
- Gauge: Non-Knit
- Coating Style: Full Dip •
- Inner Lining: Fleece •
- Colour: Blue
- Coating: Polyurethane/Nitrile

SHOWA

GLOVI e coating r	ES SEG975	
Model No.	Size	Promo Price
SEG975	Medium, 8	24.75 /Pair

24.75/Pair

24.75/Pair

24.75/Pair

Large, 9

X-Large, 10

2X-Large, 11



19-3/4 x 13

51-3/8

30.95

11.99/Pair

10.49/Pair

PVC-coatedTough PVC d	MONKEY G foam insulated coating stays soft wh		ES Ansell
 Protects from Size: X-Large Inner Lining: Colour: Brow Type: Fully c 	n abrasion e, 10 Foam Fleece vn	SBA993	SBA992
Model No.	Length"	Cuff Style	Promo Price
SBA992	11	Knit	10.59 /Pair

* Finish: Raised

10

11

SBA993

SEE953*

NM810

Not Included

COLDWORKTM **ORIGINAL® GLOVES** Thermoplastic Rubber (TPR) closure creates a secure fit Heavyweight fleece construction Water-resistant softshell back of hand C40 3M[™] Thinsulate[™] insulation traps warm air Palm Material: Synthetic Colour: Black & Grey SGV181 Touchscreen capable synthetic leather

Safety

Safety

Model No.	Size	Promo Price
SGV181	Small	30.95 /Pair
SGV182	Medium	30.95 /Pair
SGV183	Large	30.95 /Pair
SGV184	X-Large	30.95 /Pair
SGV185	2X-Large	30.95 /Pair





HEAVY-DUTY PLATFORM TRUCK

- Steel deck made of a heavy-duty all-welded 11-gauge steel with reinforced channel formed deck
- Removable 1-1/4" chrome handle can be placed at either end
- Double-welded sockets
- Capacity: 2500 lbs.
- Caster Placement: Corner Standard
- Wheel Diameter: 8"
- Wheel Material: Nylon
- Deck Height: 11"

EIC

Model	Deck	Deck	Handle	Promo
No.	Width"	Length"	Height"	Price
MB131	24	48	40	505.00

SHELF & PLATFORM TRUCK

- An efficient 2-in-1 shelf and platform truck design
- Features two front corner bumpers and a removable 11-gauge top shelf to convert to a platform truck
- Two rigid and two swivel bolted-on 5" non-marking rubber casters
- Durable Kleton blue enamel finish
- Capacity: 1300 lbs., 500 lbs. top shelf/800 lbs. bottom shelf evenly distributed
- Cart Material: Steel
- **Overall Dimensions:** 24" W x 36" D x 40" H



MB391 515.00



FOLDING HANDLE PLATFORM TRUCK Move supplies, forms and light equipment around the shop or office Quick-release handle folds flat for easy storage Heavy-gauge steel construction; non-skid vinyl-coated deck Vinyl, wrap around bumper protects walls and furniture

- Handle Height: 33"
- Capacity: 660 lbs.

- Frame Material: Steel
- Wheel Type: 5" rubber casters

KLEI	<u>M</u>		J
Model No.	Deck Width"	Deck Length"	Promo Price
MK989	23	35	167.00
MK989	23	35	

5

Promo

1134.00

Price

WIRE MESH TRUCK

- Rugged all-welded steel construction, ready to use
- Designed for efficient loading/unloading and transportation of merchandise
- 14-gauge steel shelves, 1 1/2" lip up
- Frame constructed from 1 1/2" angle iron and 2" x 2" wire mesh
- No. of Shelves: 3
- Shelf Dimensions: 24" W x 39" L
- Capacity: 1200 lbs.
- Overall Length: 39"
- Overall Width: 26"
- Overall Height: 62.5"
- Handle Height: 42"
- Clearance Between Shelves: 16"
- Wheel Material: Rubber
- Wheel Diameter: 5"
- Base Length: 36"
- Base Width: 24"
- Inside Wall Height: 55"

- TOWABLE PLATFORM CART Easily tow up to 3 carts at once with a towing vehicle
- using the heavy-duty tow bar and hitch
- Patented handle designed with variable grip heights to suit a wide range of user heights when used manually with up to two products

Model

ML250

No.

- Features a precision-engineered Duramold[™] Deck constructed of resin and metal composite that is lighter than typical steel/wood products without sacrificing strength
- Patented handle with variable grip height
- Deck Dim.: 30-1/2" W x 64-1/4" L x 12-3/8" H
- Handle Height: 42.5"

- Capacity: 2500 lbs. Wheel Diameter: 8"
- Wheel Type: Polyolefin

MP736	1810.00	
Model No.	Promo Price	





MULTI-DIRECTIONAL HYDRAULIC PALLET TRUCK

• Transrollers permit lateral movement in addition to forward/backward Heavy-duty polyurethane tread bonded to cast iron core steering wheels provide superior performance • Double load rollers, one polyurethane tread bonded to cast iron

core and one nylon for easy moving of extra heavy loads 2-1/5" exit ramp facilitates exit of pallets



LUMBER CARTS KLETON • All-welded cart is ideal for transporting long and bulky items • Welded 14-gauge 12" x 38" steel shelf • Grey rubber bumpers protect walls and equipment Two rigid and two swivel bolted-on casters Overall Length: 39" • Overall Width: 26" Capacity: 1200 lbs. Wheel Material: Rubber Deck Width: 24" Deck Depth: 36" Cart Material: Steel **MB729** Model Overall Wheel Deck Promo No. Height" **Diameter**" Height" Price

5

6

8

10

666.00

872.00

HYDRAULIC PALLET TRUCK Heavy-duty all nylon steering wheels and rollers provide superior mobility and performance Nylon exit roller facilitates entry and exit of pallets High grade 304 stainless steel is ideal for medical, food, sanitary, pharmaceutical, ETON wet and cold applications; Fork Length: 48" Fork Width: 6-1/4" Frame Width: 27" Capacity: 5500 lbs. Raised Height: 7.09" Lowered Height: 3" 2-year limited warranty

MN060	2569.00
Model	Promo
No.	Price

STOCK PICKING CARTS All-welded design, ready to use Pick and transport stock without the need for a seperate ladder Slip-resistant steps and positive locking engagement for safety 14-gauge steel shelves with 1-1/2" lip, configured up No. of Shelves: 3 Capacity: 1200 lbs. Cart Material: Steel Wheel Material: Rubber Clearance Between Shelves: 12" MD441

Model	C)ve	rall I	Dim	•	Promo
No.	W"	х	D "	х	H"	Price
MD441	24	х	52	х	61	654.00
MB508	24	х	64	х	78	806.00

KNOCKED-DOWN PANEL TRUCKS Move tables, drywall, MO523 plywood, and artwork with ease Move light to heavy duty objects at ease with (4) 5" non-marking blue elastic swivel casters Removable upright panel bars fit any size load Ships knocked-down for freight savings and damage avoidance Overall Height: 43" ETON Overall Length: 30" Overall Width: 27" Capacity: 1000 lbs. Wheel Diameter: 5" MO522 Wheel Material: Rubber

Model	Deck	Promo
No.	Type	Price
MO522	Open-Deck	354.00
MO523	Carpet-Deck	442.00






MB729

ML140

42

45



Hydraulic Scissor Liff TABLES Hydraulic foot pump raises the platform Ergonomic push handle with easy to use release handle to lower the platform Quality powder coated finish provides exceptional durability and corrosion resistance (2) Rigid polyurethane casters (2) Swivel polyurethane casters with brake Tread Width: 1-1-/8" Model Platform Dim. Capacity lbs. Megised Lowered Height" Max Diameter" Price

Model	Platform Dim.	Capacity	Hei	ght"	Handle	Pedal Strokes	Wheel	Promo
No.	L" x W"	ĺbs.	Raised	Lowered	Height"	To Max	Diameter"	Price
MP005	27-1/2 x 17-3/4	330	29.13	8.85	36.8	≤ 25	4	472.00
MP006	32 x 19-3/4	660	35.4	11	39.2	≤ 36	5	615.00
MP007	35-3/4 x 19-3/4	770	51.1	13.7	38.1	≤ 6 0	5	861.00
MP008	32 x 19-3/4	1100	35.4	11	39.2	≤ 4 5	5	718.00



HEAVY-DUTY WHEEL CHOCK

- Ideal for use with ground vehicles and heavy equipment
- Material: Urethane
- Max. Tire Diameter: 105"
- Width: 15-1/2"
- Colour: Yellow
- Depth: 17-7/10"


KLETON

• Height: 10"

Model

No.

KI296



- Overall Length: 4-1/2"
- Overall Width: 4-1/2"
- Colour: Yellow

BOLLARDS


Material: Steel

KLETON		
Model	Overall	Promo
No.	Height"	Price
K1293	36	94.30
K1294	42	115.00
K1295	48	127.00

Bollards can be used to protect work areas, racking

and personnel both indoors and outdoors

KI293



LAMINATED RUBBER CHOCK

- Designed to fit curvature of tire for a strong grip
- Extra heavy duty laminated rubber and steel construction for use with heavy utility trucks and equipment
- Load capacity: Up to 40 000 lbs.
- Max. Tire Diameter: 35"
- Overall Dim.: 8" W x 8" D x 8" H







No.

Promo Price 50.90

Promo

395.00

Price

KH603

Price

20-GALLON SPILL KIT

50 Sorbent Pads (15" x 17")

4 Sorbent Socks (3" x 48")

2 Sorbent Pillows (8" x 18")

1 Pair Nitrile Gloves, XL (10)

1 Disposal Bag (26 "x 36")

Spill Type: Oil Only

Pair Safety Goggles (One Size)

Contains:

1

Model

SEJ291

No.

POLYESTER DRUM SLING FUSIBLE LINK SELF-CLOSING Securely and economically lifts steel, plastic **DRUM COVER** and fibre drums from 12" to 24" in diameter Convert open top 55 US gallon/45 imp. gallon steel drums Ideal for use with a forklift truck into fire-safe receptacles for combustible trash Compact size of sling allows it to be BEN-MOR A replaceable fusible link assembly inside the cover melts at 165°F, stored in truck until it's needed automatically slamming the cover shut if a fire occurs in the drum Reduces drum damage which occurs Steel construction; solvent resistant, red baked-on-enamel finish when using steel handlers Fits drums from 22 1/2" to 22 3/4" in diameter 2" x 10' endless ratchet strap tightens the reinforced FM approved polyester lifting belt around the body of the drum Lifting Capacity: 1000 lbs. • Drum Capacity: 55 US gal (45 imp. gal.) M Justrite

Model	Promo
No.	Price
DA097	294.00

- Heavy duty, annealed, ductile iron construction
- Easy, no-tilt lifting of rimmed steel drums
- Self-energizing: the heavier the load, the tighter the grip
- Attaches to any hoist, crane or forklift using single fork hook attachment
- Drum Capacity: 55 US gal. (45 Imperial Gal.)
- Lifting Capacity: 3000 lbs./1360 kg.



Promo

135.00

Price

Wesco

Model

DC470

No.

DA226	306.00
Model	Promo
No.	Price

OPEN HEAD DRUM LIFTER

- Suitable for use with standard steel or poly drums with at least a 3/16" chime
- Lifting arms are adjustable to work with most 55 or 30-gallon drums
- Quick and easy attachment and removal
- Attaches to any hoist, crane or forklift using single fork hook attachment Drum Capacity: 30 - 55 US Gal.
- (25 45 Imperial Gal.)
- Frame Material: Steel
- No. of Drums: 1

Model

DC420

No.

• Lifting Capacity: 1000 lbs./454 kg.



wesco

Promo Price 380.00

SAFETY DRUM FUNNEL

- Suitable for handling flammables
- Large 10 3/4" mouth provides quick dumping
- Steel construction with 6" flame arrestor
- Hinged cover with fusible link reduces spread of vapours
- FM approved
- Funnel Capacity: 2.6 gal



Model Promo No. Price	DA102	318.00

	 Handle Length: 40" Working Load Limit: 700 lb: Overall Width: 33" Overall Depth: 22" Overall Height: 20" 	s./318 kg	R
1	Overall Depth: 22"	6	R
	 Frame Material: Knocked-D Wheel Material: Non Spark Handle Length: 40" Working Load Limit: 700 lbs 	own Steel sing	H
	 DRUM ROCKER Safe method of upending di moving, draining or storing Two 3" wheels and two 3" s Removable handle Powder coat finish Drum Capacity: 55 US gal. 	rums for swivel casters (45 Imperial Gal.)	KLETON

POLYESTER STRAPPING

- Ideal for medium to heavy-duty palletizing
- Moisture-resistant, safe to handle and recyclable
- Approved by the Association of American Railroads (AAR)
- Grade: ManualStrap Width: 5/8"
- Strap Thickness: 0.035"
- Colour: Green
- Strength: 1400 lbs
- Sold Per: Coil
- Feet/Coil: 4000'
- Core Size: 16" x 6"



PG175	138.75
Model	Promo
No.	Price

SERRATED STRAPPING SEALS

- Serrated seals for use with polyester strapping
- Type: Open
- Fits Strap Width: 5/8"

KLETON

Model

No.

PF991

• Qty/Box: 1000



• For palletizing and securing large loads

STRAPPING DISPENSER

polypropylene and steel strapping

accommodate three core strapping sizes: 16" x 3", 16" x 6" and 8" x 8"

Cart includes large storage tray

For use with 1/2" - 3/4" strapping

Strapping cart is designed to

be compatible with polyester,

• The unique multi-tier discs

Rubber rollers prevent

strapping from unrolling

for strapping accessories

• Colour: Black

Model

PG283

No.

- Protects goods from dirt, moisture and theft
- Type: Cast



-	-

1/21	2570	
NL	2112	

Model No.	Width"	Gauge	Length'	Promo Price
PG564	13	65	1500	11.50
PG563	14	80	1500	15.25
PG565	18	80	1500	19.25

Promo

299.25

Price

POLYESTER STRAPPING SEALER



Promo

119.25/Box

Price

- Heat-treated steel construction for superior strength and durability
- Prevents strapping from loosening during transit
- Long 18" handle requires less effort

Ρ

- Offset jaws are longer on one side for better grip
- Specially designed for use with serrated seals



Nodel No.	Fits Strap Width"	Promo Price
F992	5/8	110.00

STRETCH WRAP DISPENSER

- For a smooth, tight application of stretch wrap
- Tension control knob on top ensures a tight, smooth wrap; also provides a second hand grip for added stability
- Adjusts to hold rolls from 11" to 18" wide
- Material: Metal

KLETON

Model

PE354

No.



Promo

Price

72.50



INDUSTRIAL GARBAGE BAGS



- Excellent strength and puncture resistance eliminates the need for double bagging
 Less harmful for the environment and are certified UL Ecologo by a well recognized Canadian third
- party certification body
- Material: Recycled Material
- Type: Open Top



Model No.	Strength	ני ניי	Dim x	•. W"	Qty /Box	Thickness mils	Promo Price
BLACK							
JM669	Utility	20	х	22	500	0.65	20.75 /Box
JM670	Utility	22	х	24	500	0.65	24.80/Box
JM671	Utility	24	х	22	500	0.65	24.80/Box
JM679	X-Strong	26	х	36	125	1.2	19.50/Box
JM680	X-Strong	30	х	38	125	1.2	23.75/Box
WHITE							
JM685	Utility	20	х	22	500	0.65	26.39 /Box
JM686	Útility	22	х	24	500	0.65	31.15/Box
CLEAR							
JM687	Utility	20	х	22	500	0.65	26.39 /Box
JM688	Utility	22	х	24	500	0.65	31.15/Box
JM689	Strong	26	х	36	200	0.9	29.60 /Box
JM690	Strong	30	х	38	200	0.9	35.75/Box
JM691	Strong	35	х	50	125	0.9	36.10/Box
JM692	Strong	42	х	48	125	0.9	40.75/Box
JM693	X-Strong	26	х	36	125	1.2	24.39/Box
JM694	X-Strong	30	х	38	125	1.2	29.60 /Box



ROLL OUT BIN

- Durable polyethylene construction resistant to chipping and peeling
- Easy to grip handles
- Wheels allow for the efficient movement of heavy contents
- Capacity: 65 US gal.
- Width: 23-3/4"
- Depth: 24"
- Height: 40"
- Bag Size: 50" x 50"



Model No.	Description	Colour	Promo Price

LITTER PICKER

- Features a long, lightweight aluminum shaft that makes grabbing objects in hard to reach places easy
- Magnet located at the base of the jaws makes picking up magnetic items quick and simple
- Overall Length: 38"
- Shaft Material: AluminumHandle Material: Plastic

Model

JK230

No.





ALL PURPOSE TRACTION AID

- Pulse Grip tread design over a large surface area provides more traction on all surfaces
- Well positioned Ice Diamond[™] spikes provide more comfort under the foot and improved traction
- Improved heel fit for better performance
- Geometrically designed webbing and improved shape comfortably fit a greater variety of footwear
- Traction Type: Stud
- Traction Material: Tungsten Carbide



due**north**

Boots not

Model	Size	Fits Sh	oe Size	Promo
No.		M	W	Price
SEB972	Small	4-7	5-8	33.49/Pair
SEB971	Medium	7.5-10	8.5-11	33.49/Pair
SEB970	Large	10.5-13	11.5-13	33.49 /Pair
SEB973	X-Large	13.5-15	13.5-15	39.49 /Pair

HEAVY-DUTY TRACTION AID

- Molded in tungsten carbide spikes maximizes traction, and virtually eliminates the possibility of losing spikes
- Integral retention strap ensures a secure fit in all conditions
- Industrial grade sole made from exclusive rubber compound that offers unparalleled grip and maximum durability
- Textured 'diamond knurling' lining grips footwear and helps keep traction aids in place
- Traction Type: Stud
- Traction Material: Tungsten Carbide

Model No.	Size	Fits Sh M	oe Size W	Promo Price
SGQ705	Small	4-7	5-8	55.99 /Pair
SGQ705	Medium	7.5-10	8.5-11	55.99/Pair
SGQ707	Large	10.5-13	11.5-13	55.99 /Pair
SGQ708	X-Large	13.5-15	13.5-15	62.99 /Pair



	Model No.	Size	Promo Price
	SHA880	Small/Medium	43.99 /Pair
Ъ	SHA881	Large/X-Large	43.99 /Pair

HEELSTOP ICE CLEATS

- Spark-resistant studs on the heel are made from longlasting tungsten carbide to resist wear and tear
- Constructed of industrial quality, freeze resistant TR rubber which remains flexible even in the most extreme temperatures

duenorth

Boot not

included

Boot not

included

SGN995

- A unique, lightweight anti-slip traction aid that is proven to reduce workplace slips and falls in icy or snowy conditions
- Hook & loop strap allows the user to easily put on and remove the device
- Traction Type: Stud
- Traction Material: Tungsten Carbide

Model No.	Size	Promo Price
NJM115	Medium	33.49 /Pair
NJM114	Large	33.49/Pair
NJM120	X-Large	33.49/Pair
NJM122	2X-Large	33.49 /Pair

INTRINSIC MID-SOLE ICE CLEATS

- One-size-fits-all winter traction solution
- Intrinsic design is certified to prevent sparking when working in areas where combustible materials may be present
- Proud to be the only fully certified intrinsic icecleat brand in North America
- Strategically placed ice-penetrating spikes provide maximum traction on ice and snow
- Traction Type: Stud
- Traction Material: Polymer Blend
- Colour: Yellow/Orange/Black



Model No.	Profile	Promo Price
SGN995	Original	40.99 /Pair
SGP210	Low	40.99 /Pair
SGU818	High	40.99 /Pair

MID-SOLE SLIM ICE CLEAT

- Most often used with a traditional, defined- heel work boot
- Indoor/outdoor use
- Size: One Size

Model

SGU819

No.

- Traction Type: Stud
- Traction Material: Tungsten Carbide
- Colour: Orange/Yellow



Promo Price

32.99/Pair



Boots not

included

ZX-30° PREMIUM FOAM PVC ACRYLIC LINED GLOVES

- Foam PVC coating offers excellent breathability, dexterity and durability, while providing a superior wet or dry grip
- 15-gauge seamless nylon/spandex shell with 100% acrylic lining for superior cold protection
- Resists abrasions, cuts and punctures
- Sanitized® coating inhibits bacteria, minimizes odour development, and promotes freshness
- Meets EN 511 standards for Extreme Cold Protection maintaining flexibility in temperatures up to -50°C
- Must be ordered in multiples of 12



ZENTH

Model No.	Size	Coating Style	Promo Price
SFQ726	8	Dipped Palm	7.25 /Pair
SFQ727	9	Dipped Palm	7.25 /Pair
SFQ728	10	Dipped Palm	7.25 /Pair
SFQ729	11	Dipped Palm	7.25 /Pair

GOAT GRAIN STANDARD QUALITY FLEECE-LINED GLOVES

- Standard quality goat grain palm and index leather ZEN/TH[®]
- Split cowhide leather back
 and cuff construction
- Hook and loop tab for adjustable fit
- 5" cuff provides superior protection
- Exceptional dexterity
- Palm and back cotton fleece liner provides added warmth
- Must be ordered in multiples of 12

Model No.	Size	Promo Price
SEE313	Medium	9.95 /Pair
SEE314	Large	10.25/Pair
SEE315	X-Large	11.90/Pair

HIGH VISIBILITY ACRYLIC LINED GLOVES

- Natural latex palm coating
- 100% acrylic thermal lining offers superior cold protection
- Resists abrasions, cuts and punctures
- Exceptional comfort and fit
- Uncoated back permits breathability and limits perspiration
- Crinkle finish coating provides superior wet and dry grip
- Accepted for use in Canadian food processing facilities
- Must be ordered in multiples of 12

Size	Promo Price
7	2.35 /Pair
8	2.35/Pair
9	2.35/Pair
10	2.35/Pair
11	2.35 /Pair
	7 8 9 10



SPLIT COWHIDE FITTERS ACRYLIC BOA-LINED GLOVES

- Premium quality
- Provides superior warmth
- Good abrasion resistance
- Full leather tipped fingers and knuckle strap provides increased protection
- Rubberized safety cuff
- Must be ordered in multiples of 12



Model No.	Size	Promo Price
SD614	Large	4.95/Pair
SAP247	X-Large	5.20/Pair
SDL890	2X-Large	5.50 /Pair

GRAIN PIGSKIN FITTERS ACRYLIC BOA-LINED GLOVES

Premium Quality

ZENTH

Model

SAP300

SDL888

SDL889

No.

- Boa lining provides superior warmthPerforms better in wet applications
- than cowhide grain or split leather
- Rubberized safety cuff
- Must be ordered in multiples of 12

Size

Large

X-Large

2X-Large



PREMIUM GRAIN COWHIDE DRIVERS FLEECE-LINED GLOVES

7.25/Pair

7.55/Pair

- Superior abrasion resistance
- Resists oil and water well
- Excellent comfort and durability
 - Provides moderate warmth SFV195
- Elastic Wrist
- Must be ordered in multiples of 12

ZENTH[®]

Model No.	Size	Promo Price
SFV195	Small	7.55 /Pair
SFV196	Medium	7.65 /Pair
SFV197	Large	8.35/Pair
SFV198	X-Large	8.55/Pair




- 3-ply construction
- Latex and graphene free
- Ear loops and metal nose bridge for easy adjustment
- Non-Medical
- Qty/Box: 50



Model

SGX679

No.



N95 PARTICULATE RESPIRATORS

- Low breathing resistance for increased wearer comfort Adjustable plastic nose clip and soft foam
- nosepiece provide a custom fit
- Certification(s): NIOSH
- Size: Medium/Large
- Style: Flat Fold

ZEN		
	Safety Product	5

Model No.	Exhalation Valve	Qty /Box	Promo Price
SDN711	Without	20	25.99 /Box
SDN712	With	12	23.39/Box

SDN712

EXAMINATION GRADE GLOVES

- Pure 100% premium nitrile
- Textured surface provides superior wet and dry grip
- Exceptional tactile sensitivity
- Beaded cuff for added strength
- Finish: Fully Textured
- Latex and powder-free
- Accepted for use in Canadian food processing facilities
- Non-Medical Grade: AQL 1.5
- Length: 9.5" Thickness: 4.5-mil
- Qty/Box: 100

Model No.	Size	Promo Price
SEA918	X-Small	7.29 /Box
SAP324	Small	7.29/Box
SAP325	Medium	7.29/Box
SAP326	Large	7.29/Box
SAP327	X-Large	7.29/Box
SEA919	2X-Large	8.45/Box



ZENTH

mo

ice

.29

ZEN

DISPOSABLE FACESHIELD WITH HEAD GEAR

- Distortion free face shield offers protection against splashes
- Free of latex and fibrealass
- Anti-fog, anti-static and dust-proof
- Not for industrial use
- Height: 8-5/8"
- Width: 12-1/2"
- Thickness: 0.01"

Promo

SDN711

Price

- Material: PET Shield Tint: Clear
- Must be ordered in multiples of 10

No.	Pr
Model	Pro

POLYPROPYLENE HOODED COVERALLS Polypropylene permits breathability and comfort

- Offers protection against non-hazardous and non-toxic liquids, dust and particles
- Economical disposable option for protection in grimy work environments
- Elastic wrists, ankles and hood
- Colour: Blue Fabric Weight: 1.33 oz/m²
- Qtv/Case: 50

Model No.	Size	Promo Price	
SEK356	Medium	3.19 /Ea.	ZENTH
SEK357	Large	3.19 /Ea.	
SEK358	X-Large	3.19 /Ea.	Sarety Products
SEK359	2X-Large	3.19 /Ea.	
SEK360	3X-Large	3.25 /Ea.	
SEK361	4X-Large	3.35/Ea.	
SEK362	5X-Large	3.39/Ea.	