

# cabot shipping supplies

LTD.

CABOT SHIPPING SUPPLIES LTD.  
106 Burbridge Avenue  
Dartmouth, Nova Scotia  
B3B 0G7

TOLL FREE 1-800-565-0606  
HRM (902) 468-2057  
EMAIL sales@cabotss.com  
WEB www.cabotss.com

**DELIVERY IN 7 TO 10 DAYS!**

\* SOME PRICES FOB MONTREAL



## MATERIAL HANDLING & WAREHOUSE EQUIPMENT

### Self-Dumping Hopper

- Tilt a full 30° below horizontal level to ensure complete dumping
- Pull-release safety latch prohibits premature dumping
- Used on a fork lift truck for elevated dumping or with polyolefin casters
- Smooth interior will not support bacteria growth and can be cleaned by steam or pressure washer
- Material: Plastic, Polyethylene
- Colour: Black
- Capacity: 1000 lbs.
- With casters



| Model No. | Capacity | Dimensions H" x L" x W"  | Promo Price |
|-----------|----------|--------------------------|-------------|
| MK762     | 1 cu.yd. | 52 1/2 x 71 1/2 x 31 1/4 | 3649.00     |

### Knocked Down Hand Trucks

- Strong lightweight hand truck provides exceptional durability and versatility
- Weld-free construction for easy maintenance
- Shipped knocked down
- Frame Material: Aluminum
- Nose Plate Dimensions: 18" W x 7-1/2" D
- Wheel Material: Flat-Free
- Wheel Size: 10" H x 3" W
- Capacity: 500 lbs.



KLETON

| Model No. | Handle Type | Dimensions H" x W" x D" | Promo Price |
|-----------|-------------|-------------------------|-------------|
| MN029     | P-Handle    | 52-1/8 x 18 x 18-1/4    | 251.00      |
| MO072     | Dual        | 50-5/8 x 18 x 18-1/4    | 247.00      |

Printed in Canada

### BuildMan® Step Ladders

- Multi-functional top-cap with versatile tool slots
- Slip resistant steps double riveted for more rigidity
- Inside spreader braces to protect against finger pinching
- Heavy-duty slip resistant feet
- Material: Fibreglass
- Capacity: 300 lbs.
- Base Depth: 3"
- ANSI Type: 1A
- Meets/Exceeds CSA Grade: 1A

METALTECH®

VD703



### Heavy-Duty Chromate Wire Shelving

KLETON

- Heavy-gauge shelves with open wire design minimize dust, improve air circulation and provide greater visibility of stored items
- Post's circular grooves combined with tapered plastic split sleeves allow for assembly in minutes with no special tools
- Shelf ribs run front to back allowing items to slide on and off shelves smoothly
- Shelves can be adjusted at precise 1" intervals
- NSF certified
- Shelf Capacity: 800 lbs.



RN835



| Model No. | No. of Shelves | Dimensions W" x D" x H" | Overall Capacity lbs. | Promo Price |
|-----------|----------------|-------------------------|-----------------------|-------------|
| RN835     | 3              | 30 x 14 x 33            | 2000                  | 111.00      |
| RN837     | 3              | 36 x 14 x 33            | 2000                  | 119.00      |
| RN839     | 3              | 48 x 14 x 33            | 2000                  | 135.00      |
| RN841     | 3              | 30 x 18 x 33            | 2000                  | 123.00      |
| RN843     | 3              | 36 x 18 x 33            | 2000                  | 135.00      |
| RN845     | 3              | 48 x 18 x 33            | 2000                  | 156.00      |

Pricing in effect until April 10, 2026 or while quantities last. Taxes and freight extra. Some items FOB Montreal.  
Prices are subject to change and may vary without prior notice. Issue #SDM226010NA

## Polyester/Polypropylene Strapping Dispenser

- Cart includes large storage tray for strapping accessories
- Accommodates Core Inside Diameter: 8"
- Accommodates Roll Width: 8"
- Heavy-duty 8" rubber wheels for easy maneuverability
- For use with 1/2" - 3/4" strapping



**KLETON**

| Model No. | Promo Price |
|-----------|-------------|
| PF807     | 299.00      |

## Steel Strapping

- Strongest material for a wide range of strapping requirements
- Ideal for heavy shipments that require stronger protection over polypropylene and polyester
- Black painted and waxed finish
- Oscillated wound
- Core Dimensions: 16" x 3"

**KLETON**



| Model No. | Strap Width" | Strap Thickness" | Break Strength lbs. | Length' | Promo Price |
|-----------|--------------|------------------|---------------------|---------|-------------|
| PG007     | 3/4          | 0.015            | 1360                | 2385    | 176.00      |
| PF406     | 3/4          | 0.020            | 1800                | 1960    | 176.00      |
| PG008     | 3/4          | 0.023            | 2070                | 1580    | 176.00      |
| PG003     | 1/2          | 0.015            | 910                 | 3550    | 176.00      |
| PF404     | 1/2          | 0.020            | 1200                | 2940    | 176.00      |
| PG004     | 1/2          | 0.023            | 1380                | 2370    | 176.00      |

## Secumax 150 Safety Cutter

- Concealed blade for high level of safety
- Protects operator and product simultaneously
- Double sided head for multiple uses

**martor**  
USA



| Model No. | Cutting Depth | Promo Price |
|-----------|---------------|-------------|
| PG049     | 4.75 mm       | 3.89        |

## Steel and Plastic Strapping Dispenser

- Strapping cart is designed to be compatible with polyester, polypropylene and steel strapping
- The unique multi-tier discs accommodate three core strapping sizes: 16" x 3", 16" x 6" and 8" x 8"
- Rubber rollers prevent strapping from unrolling
- Cart includes large storage tray for strapping accessories
- Heavy-duty 8" rubber wheels for easy maneuverability
- For use with 1/2" - 3/4" strapping
- Accommodates Roll Width: 3", 6", 8"



**KLETON**

| Model No. | Promo Price |
|-----------|-------------|
| PE555     | 339.00      |

## Polypropylene Strapping

- Ideal for light-duty palletizing and bundling
- Lightweight, easy-to-use and recyclable
- Grade: Manual



**KLETON**

| Model No.                        | Strap Width" | Strap Thickness" | Break Strength lbs. | Length' | Promo Price |
|----------------------------------|--------------|------------------|---------------------|---------|-------------|
| <b>Core Dimensions: 16" x 6"</b> |              |                  |                     |         |             |
| PF985                            | 1/2          | 0.035            | 750                 | 5600    | 103.00      |
| PF986                            | 1/2          | 0.032            | 600                 | 7200    | 107.00      |
| <b>Core Dimensions: 8" x 8"</b>  |              |                  |                     |         |             |
| PF987                            | 1/2          | 0.032            | 600                 | 7200    | 103.00      |
| PF988                            | 5/8          | 0.03             | 700                 | 6000    | 115.00      |

## Secumax 350 Safety Cutter

- Concealed blade for high level of safety
- Protects operator and product simultaneously
- Double sided head for multiple uses
- Replaceable head for maximum economy



| Model No. | Cutting Depth | Promo Price |
|-----------|---------------|-------------|
| PG051     | 4.75 mm       | 19.99       |

## Classic Hand Stretch Wrap

- Conventional blown hand film
- Cost effective
- High puncture resistance
- Aggressive cling
- These films are considered safe for use as a secondary or tertiary packaging component
- 2 sided cling
- Qty/Case: 4 Rolls
- Colour: Clear

PF722



**Sigma Stretch Film®**  
THE INDUSTRY LEADER

| Model No. | Dimensions W" x L' | Gauge                        | Promo Price       |
|-----------|--------------------|------------------------------|-------------------|
| PF722     | 18 x 1500          | 80 Gauge (20.3 micrometers)  | <b>22.99/Roll</b> |
| PF724     | 18 x 1000          | 120 Gauge (30.5 micrometers) | <b>22.49/Roll</b> |
| PF725     | 15 x 1500          | 80 Gauge (20.3 micrometers)  | <b>18.99/Roll</b> |

## Stretch Wrap

- Cast Film
- Palletize and secure large, bulky loads
- Protects against dirt, theft or lost items
- Superior cling and strength
- 3" ID core
- Qty/Case: 4 Rolls



| Model No. | Dimensions W" x L' | Gauge                       | Promo Price       |
|-----------|--------------------|-----------------------------|-------------------|
| PE754     | 13 x 1476          | 75 Gauge (19 micrometers)   | <b>25.99/Roll</b> |
| PE759     | 14 x 1500          | 80 Gauge (20.3 micrometers) | <b>24.99/Roll</b> |

## Stretch Wrap

- For palletizing and securing large loads
- Protects goods from dirt, moisture and theft
- Type: Cast

PG563



**KLETON**

| Model No. | Dimensions W" x L' | Gauge                        | Promo Price  |
|-----------|--------------------|------------------------------|--------------|
| PG564     | 13 x 1500          | 65 Gauge (16.25 micrometers) | <b>11.89</b> |
| PG563     | 14 x 1500          | 80 Gauge (20 micrometers)    | <b>14.99</b> |
| PG565     | 18 x 1500          | 80 Gauge (20 micrometers)    | <b>20.29</b> |

## Tartan™ 369 Box Sealing Tape

**3M**

- A utility grade, polypropylene box tape
- Aggressive adhesive, ideal for recycled, waxed, poly-coated and double or triple wall boxes
- Colour: Clear
- Also available in different colours
- Adhesive: Acrylic
- Width: 48 mm



PB883

| Model No. | Length m | Thickness mils | Rolls/Case | Promo Price      |
|-----------|----------|----------------|------------|------------------|
| PB883     | 100      | 1.6            | 36         | <b>2.49/Roll</b> |
| PC881     | 132      | 1.6            | 48         | <b>3.19/Roll</b> |

## Box Sealing Tape

- Acrylic adhesive tape provides consistent performance at varying temperature ranges
- Ideal for long term storage with boxes containing limited recycled content
- Will not yellow with age
- Type: Hand
- Width: 48 mm (2")
- Length: 100 m (328')
- Colour: Clear

**KLETON**

PF233



| Model No. | Thickness             | Promo Price      |
|-----------|-----------------------|------------------|
| PF233     | 50 microns (2 mils)   | <b>2.49/Roll</b> |
| PF232     | 40 microns (1.6 mils) | <b>2.19/Roll</b> |

## Tape Dispenser

- Industrial quality tape guns constructed of steel and high impact plastic frame
- Retractable safety blade protects operator from injury
- Adjustable brake lets you choose the desired release tension
- Replacement blades sold separately
- Body Material: Steel



**KLETON**

| Model No. | Type       | Fits Tape Width Up To | Promo Price  |
|-----------|------------|-----------------------|--------------|
| PE322     | Heavy Duty | 51 mm (2")            | <b>25.99</b> |

## Heavy-Duty Dock Light

- LED array rated for 50000 hours
- 40" full extension arm with five pivot points
- Rated for outdoor use
- Rugged cast aluminum housing, tempered glass lens
- Low energy usage at 38 W
- 10' power cord with 5-15P plug
- Certified for sale in Canada by an accredited certification body



LIND **E** EQUIPMENT

| Model No. | Head Type | Promo Price |
|-----------|-----------|-------------|
| XD022     | Metal     | 275.00      |

## Anti-Skid Tape

- Helps prevent injuries from slipping and falling
- Grit sandpaper surface with adhesive backing
- Water, grease, and oil resistant
- Ideal for both indoor and outdoor applications
- Length: 60'
- Temperature Range: 175°F to -20°F
- Application range: 95°F to 50°F
- Grit: 60
- Meets or exceeds NFSI 101-A and OSHA 1910.24 and 1910.26
- RoHS compliant



| Model No. | Width" | Colour | Promo Price |
|-----------|--------|--------|-------------|
| SDN098    | 1      | Black  | 13.35       |
| SDN099    | 2      | Black  | 25.99       |
| SDN100    | 4      | Black  | 51.99       |
| SDN101    | 6      | Black  | 72.99       |
| SDN102    | 12     | Black  | 145.99      |

## 360° Dome Mirrors

- Comes with a black protective edge and hanging clips
- Increase surveillance and prevent accidents due to blind corners
- Constructed of acrylic for added durability
- Includes 4 hanging chains and hooks
- Type: Open Top
- Style: Full Dome
- Chain Length: 24"



ZENITH  
Safety Products

| Model No. | Diameter" | Promo Price |
|-----------|-----------|-------------|
| SEJ875    | 20        | 78.99       |
| SEJ876    | 24        | 109.99      |
| SEJ877    | 31        | 205.99      |
| SEJ878    | 47        | 419.99      |

## LED Loading Dock Lights

- Double Strut
- Rugged cast aluminum housing with LEDs built-in to the dock light housing
- Uses only 18 watts of energy
- Provides more light than a 300-watt spot light
- Rated for wet locations IP66, NEMA4
- LED model has an average life of 60,000 hours
- Certified for sale in Canada by an accredited certification body
- Wattage: 18 W



Tri-lite

| Model No. | Extended Arm Length" | Head Type | No. of Arms | Promo Price |
|-----------|----------------------|-----------|-------------|-------------|
| XD032     | 60                   | Metal     | 1           | 549.00      |

## Aisle Marking Tape

- Strong and durable tape that will adhere to most clean surfaces
- Can be used on floors, walls and equipment
- Material: PVC
- Width: 2"
- Roll Length: 108'
- Thickness: 6 mil



ZENITH  
Safety Products

| Model No. | Colour | Promo Price |
|-----------|--------|-------------|
| SGW126    | Blue   | 4.39        |
| SGW127    | Orange | 4.39        |
| SGW128    | Green  | 4.39        |
| SGW129    | Red    | 4.39        |
| SGW130    | White  | 4.39        |
| SGW131    | Yellow | 4.39        |
| SGW132    | Black  | 4.39        |

## Portable Mobile Barrier

- Mobile safety barrier for indoor applications
- Flexible panels allow multiple configurations, including straight, curved or round
- Includes four locking straps for easy storage
- Tilts and rolls easily
- Material: Plastic
- Expanded Length: 13'
- Height: 40"

ZENITH  
Safety Products



| Model No. | Promo Price |
|-----------|-------------|
| SGO660    | 449.00      |

## Flammable Storage Cabinets

- Double-wall 18-gauge welded steel construction with 1-1/2" air space
- Dual 2" capped vents with flame arrestors
- Full-height piano hinges open a full 180° for easy access
- Recessed handle
- Door type: Manual
- Standard(s) Met: NFPA, OSHA, FM

**10** YEAR  
Limited Warranty

**ZENITH**  
Safety Products

SDN646



## Spill Trays

- Keep messy drips and spills off warehouse and factory floors
- Heavy-duty polyethylene construction, will not rust or corrode
- Ribbed bottom keeps cans, pails and other containers elevated above any spills or leaks
- Nestable for easy storage when not in use

**ZENITH**  
Safety Products

SHM676




| Model No. | Cap. gal. | Dimensions W" x D" x H" | No. of Doors | No. of Shelves | Promo Price    |
|-----------|-----------|-------------------------|--------------|----------------|----------------|
| SDN646    | 30        | 43 x 18 x 44            | 2            | 1              | <b>1149.00</b> |
| SDN647    | 45        | 43 x 18 x 65            | 2            | 2              | <b>1415.00</b> |
| SDN648    | 60        | 34 x 34 x 65            | 2            | 2              | <b>1645.00</b> |
| SGU586    | 90        | 43 x 34 x 66            | 2            | 2              | <b>2195.00</b> |

## Soft Edge Flexible Warning & Protection Systems

- Tough, flexible polyurethane foam extrusions reduce the risk of personnel injury at high risk corners
- When applied to machinery, furnishings and walls, Soft Edge prevents impact damages by absorbing even the hardest of impacts
- Highly visible black and yellow markings offer permanent warning in dangerous areas
- Simple "peel-away" adhesive installation on grease-free surfaces
- Excellent temperature range from -40°C to 100°C

Knuffi



| Model No. | Overall Length | Style | Promo Price   |
|-----------|----------------|-------|---------------|
| KH866     | 1 m            | A     | <b>36.80</b>  |
| KH868*    | 1 m            | B     | <b>38.10</b>  |
| KH870     | 1 m            | C     | <b>41.20</b>  |
| KH872     | 1 m            | D     | <b>53.50</b>  |
| KH952     | 1 m            | E     | <b>39.00</b>  |
| KH956*    | 1 m            | G     | <b>42.60</b>  |
| KH958     | 1 m            | H     | <b>53.70</b>  |
| KH865     | 5 m            | A     | <b>191.00</b> |
| KH867*    | 5 m            | B     | <b>204.00</b> |
| KH871     | 5 m            | D     | <b>274.00</b> |
| KH953     | 5 m            | E     | <b>214.00</b> |
| KH955     | 5 m            | F     | <b>206.00</b> |
| KH957*    | 5 m            | G     | <b>214.00</b> |
| KH959     | 5 m            | H     | <b>279.00</b> |

\*Does not have peel-away adhesive. Held by pressure fit.

| Model No. | Overall Dim. L" x W" x H" | Spill Capacity | Promo Price   |
|-----------|---------------------------|----------------|---------------|
| SHM676    | 12 x 48 x 4.5             | 12 US gal.     | <b>94.95</b>  |
| SHM677    | 24 x 36 x 4.5             | 18 US gal.     | <b>109.00</b> |
| SHM678    | 24 x 48 x 4.5             | 24 US gal.     | <b>135.00</b> |
| SHM679    | 30 x 48 x 4.5             | 30 US gal.     | <b>155.00</b> |


## Heavy-Duty Bollards

- Protect your warehouse equipment, as well as high traffic areas with these heavy-duty steel bollards
- 4" x 4" square tube welded to an 8" x 8" x 1/2" steel base complete with four 3/4" diameter holes for anchoring to floor
- Safety yellow powder coated finish

**KLETON**

K CUSTOM

KD125



| Model No. | Overall Dim. L" x W" x H" | Promo Price   |
|-----------|---------------------------|---------------|
| KD125     | 4 x 4 x 24                | <b>143.00</b> |
| KH857     | 4 x 4 x 36                | <b>167.00</b> |
| KD126     | 4 x 4 x 48                | <b>172.00</b> |

## Upright Protectors

- Protects industrial racking from damaging impacts that cause unsafe conditions
- Made from 1/4" thick steel
- 4 pre-drilled holes made for 1/2" anchors (not included)
- Safety yellow powder coated finish
- Overall Depth: 7"
- Overall Width: 7"
- Material: Steel

KH858



**KLETON**

| Model No. | Overall Height" | Promo Price  |
|-----------|-----------------|--------------|
| KH858     | 12              | <b>41.60</b> |
| RB925     | 18-1/4          | <b>56.90</b> |



Products can be customized to meet your specific needs

## Stag 4™ Welding Stool

- The Stag4 in suede is an ergonomic stool that reduces pressure in the knees, ankles and in the lumbar region
- It facilitates kneeling work in an absolute comfort. Also, due to its fireproof material, it allows for a more secure work environment
- Colour: Black
- Material: Fabric
- Overall Width: 12-1/2"
- Casters: 3" Rubber
- Overall Length: 9"



**Model No.**

OP509

**Promo Price**

709.00

## Industrial Duty Mobile Service Workbenches

- Designed for moving heavy parts and tools to the job site
- Four 5" non-marking casters: two rigid and two swivels with brake
- Provides a strong maintenance-free surface to work on
- 16-gauge all-welded steel construction
- Laminated hardwood top
- Overall dimensions: 42" W x 24" D x 37" H
- Capacity: 1200 lbs. evenly distributed

ML326



**KLETON**

**Model No.**

**Configuration**

**Promo Price**

ML325

Dual Doors

1572.00

ML326

Door & Drawer

1511.00

## Industrial Duty Workbench W/Shelf

- Features adjustable steel legs
- Includes a 14" bottom shelf for additional storage
- Pre-designed workbenches are a simple, easy-to-assemble solution
- Available in many configurations and table tops
- Configuration: Shelf
- Laminated Hardwood Top Overall Thickness: 1-3/4"
- Nose Type: Bullnose



**KLETON**

**Model No.**

**Overall Dim.**

**Capacity lbs.**

**Promo Price**

FN075

60 x 30 x 34

1000

535.00

## Synetik

ErgoDesign

## Heavy-Duty Ergonomic Stools

**KLETON**

- Polyurethane seating offers puncture and stain resistance
- Pneumatic height adjustment
- Rubber cushioned metal glides helps to protect floors
- Sturdy 5-leg base
- Colour: Black
- Seat Material: Polyurethane
- Weight Capacity: 250 lbs.
- Overall Height: 39" - 48"
- Overall Width: 18-1/4"
- Overall Depth: 17-1/4"
- Height Adjustable
- Adjustable Seat Height: 23" - 33"



**Model No.**

OR330

Mobile

**Promo Price**

249.00

OR066

Stationary

229.00

## Cabinet Style Shop Desk

**KLETON**

- Durable carbon steel construction
- Four compartment organizer and slightly sloped 43" height writing surface
- Double door locking cabinet
- Optional caster kit to convert to mobile unit
- 23" W x 16" D x 3 1/2" H locking drawer on quiet nylon rollers
- Material: Steel
- Width: 34-1/2"
- Depth: 30"
- Height: 53"
- Colour: Grey



**Model No.**

FI520

**Promo Price**

447.00

## Heavy-Duty Workbench



**KLETON**

**Model No.**

**Overall Dim.**

**Capacity lbs.**

**Promo Price**

FF672

72 x 36 x 34

2500

527.00

## Mop Bucket & Wringer

- Wringer and bucket setup reduces splashing for a safer and cleaner work environment
- Built to accommodate heavy use
- Handles and wide rounded spout facilitate emptying
- Compatible with cleaning carts
- Colour: Yellow
- Bucket Capacity: 9.5 US Gal. (38 Quart)



| Model No. | Description                  | Promo Price  |
|-----------|------------------------------|--------------|
| JG811     | Bucket & Wringer, Side Press | <b>94.99</b> |

## Lobby-Pro™ Upright Dust Pan System

- Standard
- Durable all-plastic pan and yoke, reduces noise, resists corrosion
- Designed with wear pads and wheels
- Material: Plastic
- Height: 5"
- Length: 12.75"
- Width: 11.25"
- Colour: Black



| Model No. | Promo Price  |
|-----------|--------------|
| NH386     | <b>21.99</b> |

## Ryno Push Broom with Braced Handle

- Ideal for rough concrete and moving heavier debris
- Assembled broom with a bolt-on, 1-1/8" thick wood handle and broom brace
- Bristle Material: PVC
- Sweep Action: Medium
- Brace Material: Steel
- Bristle Colour: Red
- Handle Length: 60"
- Bristle Length: 4"



| Model No. | Block Length" | Promo Price  |
|-----------|---------------|--------------|
| JM915     | 24            | <b>38.99</b> |

## Boot & Shoe Cleaner

- Constructed of stiff polypropylene bristles
- Designed to effectively scrape off dirt & debris from footwear
- Option to anchor to the floor ensures a secure brush
- Overall Length: 15"



| Model No. | Promo Price  |
|-----------|--------------|
| JK632     | <b>51.99</b> |

## Round Brute® Containers

- Extra strong polyethylene construction withstands bumps and kicks; will not rust, chip or peel
- Nest for easy storage and cleans easily due to seamless construction
- Built-in handles, double ribbed base and molded base grip for two-handed lifting
- Internal venting channels allow for easy removal of garbage bags
- Accepted for use in Canadian food processing facilities
- Colour: Grey



| Model No. | Capacity US gal. | Dimensions Dia." x H" | Bag Size" | Promo Price  |
|-----------|------------------|-----------------------|-----------|--------------|
| NA698     | 32               | 22" x 27-1/4"         | 35 x 50   | <b>43.79</b> |
| NA691     | 20               | 19.5" x 22.875"       | 30 x 38   | <b>39.99</b> |

## Portable Shop Vacuum

- Heavy-duty power in a convenient portable size
- Works great to clean wet or dry messes in garages, workshops or basements
- Attach the Lock-On® hose to the rear blower port to blow dirt out of those hard to reach places or grass clippings from sidewalks
- Hand-held design
- Onboard accessory storage
- Type: Wet-Dry
- Material: Polycarbonate
- Tank Capacity: 5 US Gal. (18.9 Litres)
- Peak HP: 6 HP • Air Flow: 65 CFM
- Sealed Pressure: 50"
- Peak Air Watts: 350
- Electrical Rating: 120 V 60 Hz 11.8 Amps
- Includes:** Wet/dry vacuum, 7' Lock-On® hose, Claw utility nozzle, Crevice tool, Adaptor, Tool holder, Small cartridge filter (Type AA), Small foam sleeve (Type CC), 5-8 Gallon high efficiency disposable filter bag (Type H)



| Model No. | Cord Length' | Hose Dia." | Hose Length' | Promo Price   |
|-----------|--------------|------------|--------------|---------------|
| EB328     | 20           | 1.5        | 7            | <b>209.00</b> |

## Tilt-N-Roll Ladders

- Balanced design allows ladder to tilt into the rolling position
- 1-piece all-welded steel construction
- 30" high rails with 22" wide expanded metal steps
- Oversize 22" x 24" top step for easier worker movement
- Step Type: Expanded Metal
- Step Depth: 8"
- Overall Width: 25"
- Rise Height: 9"
- Capacity: 300 lbs.



MD603

**KLETON**



| Model No. | No. of Steps | Platform Height" | Overall Depth" | Overall Height" | Promo Price |
|-----------|--------------|------------------|----------------|-----------------|-------------|
| MD603     | 3            | 27               | 44             | 57              | 494.00      |
| MD604     | 4            | 38               | 50             | 68              | 577.00      |
| MD605     | 5            | 47               | 56             | 77              | 628.00      |
| MD606     | 6            | 56               | 62             | 86              | 647.00      |

## Heavy-Duty Shelf Carts

- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- No. of Shelves: 2
- Cart Material: Steel
- Lip Configuration: Lip Up
- Wheel Material: Blue Elastic Rubber
- Capacity: 1200 lbs.
- Handle Height: 36"
- Clearance Between Shelves: 27"



MB445

**KLETON**



| Model No. | Overall Dimensions |      | Shelf Dimensions |    | Promo Price |
|-----------|--------------------|------|------------------|----|-------------|
|           | W"                 | D"   | W"               | L" |             |
| MB445     | 18                 | x 33 | x 36             | 18 | 339.00      |
| MB447     | 24                 | x 39 | x 36             | 24 | 369.00      |
| MB449     | 24                 | x 51 | x 36             | 24 | 396.00      |

## Gas Cylinder Carts

- Cart Material: Steel
- ML413 and ML415 Capacity: 244 cu.ft. oxygen, 300 cu.ft.acetylene cylinders
- ML414 Capacity: 300 cu.ft. 9" Dia. cylinder



ML413

**KLETON**



| Model No. | Base W" x D" | Wheel Type              | No. of Cylinders | Promo Price |
|-----------|--------------|-------------------------|------------------|-------------|
| ML413     | 25 x 13      | 16" Dia. pneumatic      | 2                | 460.00      |
| ML414     | 12 x 10      | 10" Dia. semi-pneumatic | 1                | 230.00      |
| ML415     | 25 x 13      | 14" Dia. x 3" rubber    | 2                | 540.00      |

## CSA-Certified Rolling Step Ladders

- Ideal wherever there is a need to reach bulky materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- 2 to 6 step ladders operate on spring-loaded casters
- Casters retract under operator's weight, rubber feet drop down
- CSA certified to the ANSI standard A14.7
- CSA certified to ANSI-ASC A14.7-2011 American National Standard for Mobile Ladder Stands and Mobile Ladder Stand Platforms
- Frame Material: Steel
- Step Type: Perforated
- Step Size: 22" W x 8" D
- Top Step Size: 22" W x 16" D
- Capacity: 300 lbs.

**Note: Ladders are not to be used as work platforms**

MA615



**KLETON**



| Model No. | No. of Steps | Top Step Height" | Base dim. W"x D" | Promo Price |
|-----------|--------------|------------------|------------------|-------------|
| MA612     | 2            | 19               | 24 x 26          | 287.00      |
| MA613     | 3            | 28               | 24 x 30          | 316.00      |
| MH279     | 4            | 37               | 24 x 37          | 388.00      |
| MA615     | 5            | 46               | 24 x 41          | 419.00      |

## Platform Trucks

**KLETON**



MB236

- All-welded design 14-gauge steel base
- Two turned down lip and reinforced channels underneath
- Double welded sockets
- Removable 1 1/4" chrome handle can be placed at either end
- Capacity: 1400 lbs. evenly distributed
- Caster Placement: Corner Standard
- Wheel Diameter: 8"
- Wheel Material: Rubber
- Deck Height: 11"

| Model No. | Deck Width" | Deck Length" | Handle Height" | Promo Price |
|-----------|-------------|--------------|----------------|-------------|
| MB236     | 24          | 36           | 39             | 394.00      |
| MB244     | 24          | 48           | 39             | 429.00      |
| MD425     | 30          | 48           | 39             | 464.00      |
| MB252     | 30          | 60           | 39             | 552.00      |

## Rolling Step Ladders

**KLETON**



- Ideal wherever there is a need to reach materials
- Rolls easily into position and locks firmly to the floor for maximum safety
- All the ladders operate on spring-loaded casters
- Casters retract under operator's weight and rubber feet drop down
- Platform Dim.: 18" W x 16" D
- Step Dim.: 18" W x 8" D
- Frame Material: Steel
- Step Type: Perforated
- Meets ANSI standard A14.7



VC131

| Model No. | No. of Steps | Platform Height" | Capacity lbs. | Promo Price |
|-----------|--------------|------------------|---------------|-------------|
| VC131     | 2            | 19               | 300           | 286.00      |
| VC132     | 3            | 28               | 300           | 320.00      |

## Drywall Carts

- All-welded multi-purpose cart is ideal for transporting drywall, wood or metal sheets
- 1 1/4" tubular rail handle and thick 11-gauge steel platform
- Two rigid and two swivel 8" bolted-on casters
- Deck angle: 80°
- Deck Dim: 15" W x 44" L x 14" H
- Overall Dim.: 24" W x 44" L x 44" H
- Cart Material: Steel



ML139

**KLETON**



| Model No. | Capacity lbs. | Wheel Material | Promo Price   |
|-----------|---------------|----------------|---------------|
| ML139     | 2000          | Mold-on Rubber | <b>510.00</b> |
| MD214     | 3500          | Polyurethane   | <b>515.00</b> |

## Bulk Stacking Containers

- Heavy-duty all-welded construction
- All containers use a 13-gauge corrugated sheet steel base
- 2" x 2" x 3/16" angle posts
- 4-way fork truck entry with 4" under-clearance
- Gauge: 13
- Capacity: 3500 lbs.



CF453



CF454

**KLETON**




| Model No. | O.A. Dim. H" x D" x W" | Description    | Promo Price    |
|-----------|------------------------|----------------|----------------|
| CF453     | 30 x 40.5 x 34.5       | Fully Enclosed | <b>782.00</b>  |
| CF454     | 30 x 40.5 x 34.5       | One Drop Gate  | <b>892.00</b>  |
| CF455     | 30 x 48.5 x 40.5       | Fully Enclosed | <b>905.00</b>  |
| CF456     | 30 x 48.5 x 40.5       | One Drop Gate  | <b>1015.00</b> |

## Floor Angle Guard Rails

**KLETON**

- Floor angle guide rail helps keep traffic away from racking and shelving, walls, storage areas, offices, and other work areas
- The sturdy 5" H x 3" W x 1/4" D angle iron comes with holes to anchor to the floor
- Protectors can be customized to any other lengths and/or depths required
- Floor anchors not included
- Overall Width: 3"
- Overall Height: 5"
- Material: Steel


RN065



| Model No. | Overall Length" | Promo Price   |
|-----------|-----------------|---------------|
| RN065     | 48              | <b>95.00</b>  |
| RN066     | 60              | <b>108.00</b> |
| RN067     | 120             | <b>199.00</b> |

## Stacking Racks

- Rugged all-welded 2" sq. tubing steel construction
- Utilize warehouse airspace and lower the chances of damage that is associated with bulk stacking
- Designed for storage of loose and palletized goods
- Holds 4000 lbs. per rack and can be stacked 4 high
- Posts and bases are sold separately



Model RL414  
w/2 Model RL419



Model RL414  
w/4 Model RL421

| Model No. | O.A. Dim. W" x D" | Inside Dim. W" x D" | Promo Price |
|-----------|-------------------|---------------------|-------------|
|-----------|-------------------|---------------------|-------------|

### Open Base Frame

|       |         |         |               |
|-------|---------|---------|---------------|
| RL414 | 48 x 42 | 44 x 38 | <b>456.00</b> |
| RL415 | 48 x 48 | 44 x 44 | <b>512.00</b> |

### Closed Base Frame

|       |         |         |               |
|-------|---------|---------|---------------|
| RL416 | 48 x 42 | 44 x 38 | <b>544.00</b> |
| RL417 | 48 x 48 | 44 x 44 | <b>599.00</b> |

### Accessories

| Model No. | O.A. Dim. W" x D" | Description                | Promo Price   |
|-----------|-------------------|----------------------------|---------------|
| RL418     | 42 x 48           | 42" Side Rail              | <b>140.00</b> |
| RL419     | 48 x 48           | 48" Side Rail              | <b>148.00</b> |
| RL420     | 2 x 42            | 42" Upright Post-Pack of 4 | <b>164.00</b> |
| RL421     | 2 x 48            | 48" Upright Post-Pack of 4 | <b>176.00</b> |
| RL422     | 2 x 60            | 60" Upright Post-Pack of 4 | <b>216.00</b> |

## Heavy Duty Workhorses

- Overbuilt to be the last sawhorse you'll ever need
- Powder coated finish safety yellow
- Capacity: 2000 lbs.
- Material: Steel

**KLETON**



VC157




| Model No. | O.A. Dim. W" x L" x H" | Promo Price   |
|-----------|------------------------|---------------|
| VC157     | 20 x 36 x 24           | <b>308.00</b> |
| VC158     | 20 x 48 x 36           | <b>348.00</b> |

Products can be customized to meet your specific needs

## Self Closing Gate Valve

- Heavy-duty brass construction
- For use with viscous non-corrosive fluids heavier than SAE30 motor oil
- Wide opening permits maximum flow
- Fits 2" bung in steel or plastic drums



## KLETON

| Model No. | Promo Price |
|-----------|-------------|
| PE363     | 180.00      |

## Rotary Type Drum Pump

- For most water-soluble inorganic acids, waxes, detergents
- Fits 15 to 55-gallon drums with a 2" bung adaptor
- Wetted Components: 304 stainless, polypropylene, PVDF, PTFE & Viton®
- Body Material: Polypropylene



**WARNING!** Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME! Please contact your representative for chemical compatibility

## KLETON

| Model No. | Transfer Rate | Adaptor Type | Promo Price |
|-----------|---------------|--------------|-------------|
| DC870     | 8 oz./Stroke  | 2" Bung      | 122.00      |

## Below-Hook Drum Lifter

- Designed for steel, plastic and fibre drums with diameters between 22" to 23 1/2" and heights between 23" to 38"
- Attaches to a monorail, crane or chain block and transports loaded drums in the upright position
- Drum is secured into the saddle by a web strap and ratchet mechanism
- The saddle, as well as the support bar at the bottom of the drum ensure that drums will be transported safely, restraining the drum from sliding out
- Frame Material: Steel
- No. of Drums: 1



## MORSE

| Model No. | Lifting Capacity | Promo Price |
|-----------|------------------|-------------|
| DA935     | 1000 lbs./454 kg | 669.00      |

## Retractable Grounding Wire

- Positive latching mechanism holds cable at any length
- Alligator clip included
- For use where a discharge of static electricity could cause a spark and subsequent explosion
- A slight pull on the cable releases the mechanism causing retraction



## LIND EQUIPMENT

| Model No. | Cable Length' | Cable Type | Promo Price |
|-----------|---------------|------------|-------------|
| DA610     | 50            | Light-Duty | 622.00      |

## Rotary Type Drum Pump

## KLETON

- For use with most medium viscosity petroleum fluid, light non-flammable and non-combustible fluids
- Dual directional operation allows pump to both empty and refill containers
- Fits 30 to 55-gallon drums with a 2" bung adaptor
- Steel discharge spout and PVC discharge hose of 1" diameter and 55" long included
- Body Material: Cast Iron, Steel
- Wetted Components: Cast Iron, Steel, Nylon, Viton & Stainless Steel



**WARNING!** Chemical compatibility of a drum or barrel pump should be checked for EACH LIQUID BY CHEMICAL NAME! Please contact your representative for chemical compatibility

| Model No. | Transfer Rate | Adaptor Type | Promo Price |
|-----------|---------------|--------------|-------------|
| DC869     | 8 oz./Stroke  | 2" Bung      | 87.00       |

## Drum Rocker

- Safe method of upending drums for moving, draining or storing
- No lifting, straining, or danger of drum tipping backwards
- Load drum into the draining position in seconds
- Constructed of all welded heavy gauge steel tubing
- Removeable handle
- Two 3" swivel casters and wheels
- Drum Capacity: 55 US gal. (45 Imperial Gal.)
- Frame Material: All-Welded Steel
- Wheel Material: Polyolefin
- Handle Length: 40"
- Working Load Limit: 1000 lbs./454 kg
- Overall Dim.: 33" W x 22" D x 20" H




## KLETON

| Model No. | Promo Price |
|-----------|-------------|
| DC442     | 140.00      |

## Low Profile Drum Truck

- All-welded steel construction with 8" x 2" rubber wheels and 4" non-marking rubber swivel casters for smooth movement and easy maneuverability
- Ideal for moving full, open top 45 imp. gal./55 US gal. drums without spilling contents
- With a low-level frame, only 1/2" from the ground, this truck allows for easy loading of drums
- Hinged handle moves forward and backward for easy pushing or pulling
- Drum Type: Steel
- Capacity: 1000 lbs.



## KLETON

| Model No. | Overall Dim. W" x D" x H" | Overall Handle Length" | Promo Price |
|-----------|---------------------------|------------------------|-------------|
| DC500     | 30 x 24 x 46              | 39                     | 204.00      |

## Drum Hand Trucks

- All-welded 1 1/4" round tubular steel frame
- Handles containers from as small as 18" in diameter to large 45-gallon steel drums
- Ideal for loading drums onto pallets, or for going over curbs or uneven docks
- Free standing when loaded
- Drum Capacity: 25 - 55 US Gal. (20 - 45 Imperial Gal.)
- Frame Material: Steel
- Wheel Material: Mold-on Rubber
- Drum Type: Steel
- Working Load Limit: 1000 lbs./454 kg



## KLETON



| Model No.                      | Description                                    | Promo Price |
|--------------------------------|--|-------------|
| 19" D x 24" W x 58" H<br>DA593 | Truck with 10" front rubber wheels only        | 303.00      |
| 22" D x 24" W x 58" H<br>DA594 | Truck with 10" front and 6" rear rubber wheels | 351.00      |

## Heavy-Duty Shelf Carts

## KLETON



- All-welded ready to use
- Versatile for all material transport
- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- No. of Shelves: 3
- Cart Material: Steel
- Lip Configuration: Lip Up
- Wheel Material: Blue Elastic Rubber
- Capacity: 1200 lbs.
- Handle Height: 36"
- Clearance Between Shelves: 12"



| Model No. | Overall Dimensions W" x D" x H" | Shelf Dimensions W" x D" x H" | Promo Price |
|-----------|---------------------------------|-------------------------------|-------------|
| MB456     | 18 x 33 x 36                    | 18 x 30                       | 372.00      |
| MB459     | 24 x 39 x 36                    | 24 x 36                       | 429.00      |
| MB461     | 24 x 51 x 36                    | 24 x 48                       | 452.00      |

## Drum Dolly

- Welded 3/16" thick x 4", frames are built to withstand constant use
- 24" inside diameter handles 45 imp. gal./55 US gal. drums
- Comes with four swivel casters
- Frame Material: Steel
- Frame Design: Round Frame
- Diameter: 24"
- Wheel Material: Polyurethane



## KLETON



| Model No. | Capacity lbs. | Overall Height" | Caster Size" | Promo Price |
|-----------|---------------|-----------------|--------------|-------------|
| DC199     | 1000          | 4.5             | 3            | 80.00       |

## Heavy Duty Shelf Cart with Drawer

- Cart constructed from 14-gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel handle
- Drawer dimensions: 15-1/4" W x 20" L x 6" H, 100-lb. capacity
- Two rigid and two swivel bolted-on 5" non-marking casters
- Capacity: 1200 lbs.
- Overall Dimensions: 24" W x 39" D x 36" H
- Wheel Material: Rubber
- Construction: All-Welded
- No. of Drawers: 1



## KLETON



| Model No. | Promo Price |
|-----------|-------------|
| MH255     | 619.00      |

## Deep Lipped Service Carts

- All welded design, ready to use
- Deep shelf lips for retention
- Two 14 gauge steel shelves welded to 1 1/2" x 1 1/2" x 1/8" steel angle posts
- 1" diameter tubular steel ergonomic handle
- Overall Dimensions: 24" W x 42" D x 47" H
- Two rigid and two swivel 5" non-marking rubber casters
- Lip Configuration: Lip Up
- Wheel Material: Rubber
- Capacity: 1200 lbs.



## KLETON



| Model No. | Shelf Dim. W" x D" | Shelf Lip Depth"    | Clearance Between Shelves" | Promo Price |
|-----------|--------------------|---------------------|----------------------------|-------------|
| MN393     | 24 x 36"           | Top 6/Bottom 1-1/2  | 22-1/2                     | 556.00      |
| MN394     | 24 x 36"           | Top 12/Bottom 1-1/2 | 16                         | 572.00      |
| MN395     | 24 x 36"           | Top 6/Bottom 6      | 18                         | 612.00      |



Products can be customized to meet your specific needs

## Heavy-Duty Shelving

- Boltless shelving allows multiple shelving configurations/positions
- Includes three Medium-Density Fiberboard (MDF) shelves
- Shelves snap into place quickly and easily
- Kit Type: Starter
- Material: Steel
- Style: Open
- No. of Shelves: 3



RN806

**KLETON**



| Model No. | Shelf Capacity | Overall Dim. W" x D" x H" | Overall Capacity | Promo Price   |
|-----------|----------------|---------------------------|------------------|---------------|
| RN806     | 1200 lbs.      | 48 x 36 x 84              | 3600 lbs.        | <b>308.00</b> |
| RN807     | 1200 lbs.      | 48 x 24 x 84              | 3600 lbs.        | <b>240.00</b> |
| RN808     | 750 lbs.       | 72 x 24 x 84              | 2250 lbs.        | <b>288.00</b> |

## Drawer Shelf Cart

- Allows repair or assembly parts to be transported directly to the work site.
- Work can be carried out on tray truck top.
- Lower shelf provides added storage capacity.
- Rolls smoothly on two rigid and two swivel 5" rubber casters.
- Drawers come with two adjustable dividers and full width handles
- Capacity: 1200 lbs. evenly distributed
- Cart Material: Steel
- Overall Dim.: 18" W x 36" D x 35" H
- Wheel Material: Rubber
- Construction: All-Welded
- No. of Drawers: 24

**KLETON**



| Model No. | Promo Price    |
|-----------|----------------|
| MA246     | <b>1359.00</b> |



## Deep Door Storage Cabinet

- Capacity per shelf: 500 lbs. evenly distributed
- Four reinforced adjustable main shelves are complemented by six adjustable mini shelves in each 4" deep hinged door for a capacity unmatched by any other cabinet
- Padlock hasp (cannot be accessed by bolt cutters) helps secure the contents of this deep door high-density storage cabinet
- Padlock sold separately
- Overall Dim.: 72" H x 38" W x 24" D
- No. of Shelves: 4
- Colour: Grey
- Material: Steel
- Assembly Type: Welded (Assembled)



**KLETON**



| Model No. | Promo Price    |
|-----------|----------------|
| FB024     | <b>1990.00</b> |

## Flip Top Plastic Distribution Containers

- Reusable containers are ideal for use in wholesale product distribution and as picking containers
- Hinged lids with tight interlocking fit provide added security and protection
- When lids are closed, containers can be easily stacked
- Nests with lids open for optimal use of space
- Overall Dim.: 12.5" H x 21.65" W x 15.5" D
- Volume Cu. Ft.: 1.8
- Material: Polypropylene



**KLETON**

| Model No. | Colour | Promo Price  |
|-----------|--------|--------------|
| CG125     | Grey   | <b>29.90</b> |
| CG126     | Red    | <b>29.90</b> |
| CG127     | Blue   | <b>29.90</b> |



## Modular Small Parts Storage Unit

- Unit is ideal for organization and storage of multipurpose small parts and variety of sized components
- Not included:** Mounting/fastening hardware (requires 8 x 1/4" nuts & bolts)
  - Steel construction
  - Grey powder-coated finish
- Includes:** (3) Large Slide Racks, (12) Large Compartment Boxes & (1) Elevated Base

**DURHAM MFG**  
Est. 1922

| Model No. | Overall Dim. W" x D" x H" | No. of Drawers | Promo Price    |
|-----------|---------------------------|----------------|----------------|
| FN372     | 20-3/8" x 16" x 60-1/8"   | 12             | <b>1356.00</b> |

## Bus/Utility Box

- Made of durable, commercial grade plastic
- USDA Meat & Poultry Equipment Group Listed and assists in complying w/HACCP guidelines
- Reinforced handles, bottom and ribs for added strength
- Cover sold separately
- Overall Dim.: 5" H x 15" D x 20" L
- Material: Plastic
- Colour: Grey
- Capacity: 17.5 L

**Rubbermaid**  
Commercial Products

| Model No. | Promo Price  |
|-----------|--------------|
| CD445     | <b>10.90</b> |



## KPC-600 Parts Cabinet

- New design allows 98% use of drawer space to store larger tools or materials
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Drawer size: 3.5" W x 8.6" D x 2.2" H
- Clear polystyrene drawers
- No. of Drawers: 40



## KLETON

| Model No. | Dimensions |   |        |   | Promo Price |
|-----------|------------|---|--------|---|-------------|
|           | W"         | x | D"     | x | H"          |
| CF314     | 18-3/10    | x | 8-7/10 | x | 25-3/10     |

## Stack & Hang Bins

- Innovative stacking design allows for greater visibility and easier access to contents
- Distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Ideal in production or for store display
- Included with each bin: I.D. card with clear plastic shield, four riser legs and connector clip
- Colour: Blue

1" riser legs  
increase loading  
capacity and stability



## KLETON

| Model No. | Outside Dimensions |   |          |   | Promo Price |
|-----------|--------------------|---|----------|---|-------------|
|           | W"                 | x | D"       | x | H"          |
| CB260     | 4-13/16            | x | 7-1/8    | x | 3-3/16      |
| CB262     | 5-7/8              | x | 9-13/16  | x | 4-11/16     |
| CB264     | 8-3/16             | x | 14       | x | 6-3/16      |
| CC239     | 7-7/8              | x | 17-11/16 | x | 7           |
| CB266     | 11-13/16           | x | 17-11/16 | x | 7           |

Note: Add 1 inch to overall height when stacking on legs.

## Jumbo Plastic Bins

- Extra-large size provides massive amount of storage capacity
- Guaranteed unbreakable and distortion-free from -40°C to 120°C
- Unaffected by oil, alkaline and most acids
- Nesting design allows for minimal storage space when not in use
- Stackable for added space savings, up to 4 high
- Capacity: 200 lbs.



## KLETON

| Model No. | Blue  | Yellow | Green | Red | Outside Dimensions | Promo Price |
|-----------|-------|--------|-------|-----|--------------------|-------------|
|           |       |        |       |     | W" x D" x H"       |             |
| CF328     | CF330 | CF329  | CF327 |     | 15-1/2 x 25 x 13   | 49.50       |

## KPC-400 Parts Cabinets

- Clear divider
- Housed in all-welded galvanised steel cabinet
- I.D. card with clear plastic shield and divider included with every drawer
- Plastic tabs and drawer stoppers allow for full extension without risk of spilling
- Drawer size: 4.7" W x 8.6" D x 2.7" H
- Heavy-duty ABS beige drawers

CF298

CD440



## KLETON

| Model No. | Outside Dimensions |   |        |   | No. of Drawers | Promo Price |
|-----------|--------------------|---|--------|---|----------------|-------------|
|           | W"                 | x | D"     | x | H"             |             |
| CF298     | 23-1/10            | x | 8-7/10 | x | 13-4/5         | 16          |
| CA892     | 22-3/5             | x | 8-7/10 | x | 36-9/10        | 48          |
| CD440*    | 22-3/5             | x | 10-4/5 | x | 36-9/10        | 48          |

\* Comes with locking doors

## Collapsible Container

- Polypropylene construction
- Collapses to 21" L x 14" W x 2" H for convenient storage
- Open dimensions 21" L x 14" W x 10 1/2" H
- Reinforced base for added durability
- 16 heavy-duty steel pins built in for increased strength
- Max. Height: 10.5"
- Max. Length: 21"
- Max. Width: 14"
- Capacity: 160 lbs.



## KLETON

| Model No. | Promo Price |
|-----------|-------------|
| CF326     | 43.00       |

## Collapsible Wire Container

- Welded, mesh wire maximizes visibility and ventilation
- Can be stacked up to 4 high
- Features a drop gate for easy access to products
- Equipped with 4 caster plates that are compatible with all KLETON casters
- Capacity: 4000 lbs.
- Overall Depth: 48"
- Overall Height: 42"
- Overall Width: 40"
- No. of Drop Gates: 1
- Collapsed height: 9"



| Model No. | Promo Price |
|-----------|-------------|
| CG021     | 476.00      |

## KLETON

## Poly Snow Shovels

- Blade Material: Polypropylene
- Handle Material: Steel
- Handle Type: D-Grip



**AURORA**  
TOOLS

| Model No. | Wearstrip    | Blade Dim. W" x H" | Overall Length" | Promo Price  |
|-----------|--------------|--------------------|-----------------|--------------|
| NM809     | Included     | 19-3/4 x 13-1/8    | 50-3/4          | <b>32.45</b> |
| NM810     | Not Included | 19-3/4 x 13        | 51-3/8          | <b>31.60</b> |

## Poly Snow Pushers

- Powder-coated steel handle for added strength
- Ergonomic poly D-grip
- Blade Material: Polypropylene



**AURORA**  
TOOLS

| Model No. | Wearstrip    | Blade Dim. W" x H" | Overall Length" | Promo Price  |
|-----------|--------------|--------------------|-----------------|--------------|
| NM812     | Included     | 21-1/4 x 9-1/4     | 50-1/2          | <b>26.80</b> |
| NM811     | Not Included | 24-1/2 x 10-3/4    | 54-1/2          | <b>33.20</b> |

## Yukon™ Snow Shovel

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Blade Material: Steel
- Handle Material: Varnished ash wood
- Handle Type: D-Grip



**Garant**

| Model No. | Blade"  | Handle Length" | Promo Price  |
|-----------|---------|----------------|--------------|
| NE312     | 30 x 12 | 42-3/4         | <b>59.95</b> |

## Scrapers

- Top-of-the-line industrial grade tools designed for intense and continuous use
- Handle Material: Ashwood
- Handle Type: Straight
- Handle Length: 48"
- Blade Material: Tempered steel



| Model No. | Series  | Blade"        | Promo Price  |
|-----------|---------|---------------|--------------|
| ND067     | Nordic™ | 7 x 5-1/2     | <b>28.95</b> |
| ND115     | Yukon™  | 8-1/2 x 6-1/4 | <b>64.95</b> |

## All Weather TPE-Rubber Extension Cords

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOOW, 300 V grounding
- No. of Outlets: 1



XC503

**AURORA**  
TOOLS

| Model No.               | Length' | Gauge (AWG) | Amps | Wattage | Promo Price   |
|-------------------------|---------|-------------|------|---------|---------------|
| <b>Heavy-Duty</b>       |         |             |      |         |               |
| XC500                   | 25      | 14/3        | 15   | 1875    | <b>29.65</b>  |
| XC501                   | 50      | 14/3        | 15   | 1875    | <b>48.10</b>  |
| XC502                   | 100     | 14/3        | 13   | 1625    | <b>104.00</b> |
| <b>Extra Heavy-Duty</b> |         |             |      |         |               |
| XC503                   | 25      | 12/3        | 15   | 1875    | <b>37.75</b>  |
| XC504                   | 50      | 12/3        | 15   | 1875    | <b>74.15</b>  |
| XC505                   | 100     | 12/3        | 15   | 1875    | <b>141.00</b> |

## Portable Fan-Forced Utility Heater

- Two heat settings (1300 W and 1500 W) provide full comfort and economic operation
- Adjustable thermostat
- Fan-only setting
- Tip over safety switch
- Built-in carrying handle with front safety guards
- Overheating protection
- Min. BTU Rating: 4435 BTU/H
- Max. BTU Rating: 5120 BTU/H
- Amperage: 10.8 A/12.5 A

| Model No. | Promo Price |
|-----------|-------------|
| EA598     | 46.30       |



## Fan Forced Contractor Heater

- Built-in thermostat
- Safety high temperature limit
- Built-in handle/cord storage
- Permanently lubricated motor
- 6' heavy-duty cord
- Steel spiral fan brazed to metal sheath elements for maximum heat transfer
- Voltage: 240 V
- Plug Type: #6-30P



| Model No. | Motor Type | BTU/H Rating | Amperage | Wattage | Promo Price |
|-----------|------------|--------------|----------|---------|-------------|
| EA477     | Open       | 19 100       | 23.34 A  | 5600    | 231.00      |

## Portable Salamander Heater

- Manufactured for long lasting, this portable heater for warehouses, factories, garages, construction sites, pavilions and other open areas, raise temperature to the desired level gradually for worksite comfort
- Adjustable thermostat
- Adjustable tilt angle
- Mounted on 10" solid rubber wheels
- Over heat protection
- Easy to move to different areas of the site
- Variable speed setting, fan forced
- Max. BTU Rating: 34 121 BTU/H
- Fan Motor Type: Enclosed air over, Ball bearing
- Type: Contractor
- Voltage: 240 V
- Wattage: 10080 W

| Model No. | Promo Price |
|-----------|-------------|
| EA786     | 1223.00     |



## Portable Open Coil Heater

- Two heat settings (1500 W and 1000 W)
- Provides full comfort and efficient operation
- Fully adjustable automatic thermostat
- Safety overload switch
- Power signal light
- Top mounted handle and controls
- Grounded plug and controls
- Type: Radiant Heat
- Min. BTU Rating: 3410 BTU/H
- Max. BTU Rating: 5200 BTU/H
- Amperage: 8.3 A/12.5 A

| Model No. | Promo Price |
|-----------|-------------|
| EA469     | 68.70       |



## Oil Filled Heater

- 7-fin, oil-filled heater
- Three heat settings provide full comfort and efficient operation
- Adjustable thermostat
- Built-in over heating protection
- Tip-over safety protection
- Min. BTU Rating: 2048 BTU/H
- Max. BTU Rating: 5120 BUT/H
- Voltage: 120 V
- Min. Wattage: 600 W
- Max. Wattage 1500 W
- Amperage: 5 A/12.5 A

| Model No. | Promo Price |
|-----------|-------------|
| EA612     | 85.15       |



## Patio Heater

- High efficiency heating
- IP65 rated for outdoor use
- Remote and pull-string control
- Two LED lights
- 3 heat settings (500 W/1000 W/1500 W)
- Type: Wall
- Min. BTU Rating: 1705 BTU/H
- Max. BTU Rating: 5115 BTU/H



| Model No. | Promo Price |
|-----------|-------------|
| EB307     | 199.00      |

## Portable Heater

- Two heat settings (1500 W and 750 W) provide full comfort and efficient operation
- Adjustable thermostat
- PTC heating element
- Tip over safety switch and thermal safety fuse
- Type: Ceramic
- Min BTU Rating: 2560 BTU/H
- Max BTU Rating: 5200 BTU/H
- Amperage: 6.25 A/12.5 A



| Model No. | Promo Price |
|-----------|-------------|
| EA599     | 55.35       |

## Natural Choice™ Ice Melter

- All-natural ice melter with an organic additive that improves its performance
- This additive also acts as a corrosion inhibitor to reduce metal fatigue
- Eco-friendly ice melter
- Green marker assists in proper application



| Model No. | Container Size  | Melting Point   | Promo Price |
|-----------|-----------------|-----------------|-------------|
| NJ140     | 44 lbs. (20 kg) | -26°C (-14.8°F) | 27.99/Bag   |



NN138

## Broadcast Spreaders with Stainless Steel Hardware

- Metal gear inside of the gear box
  - Stainless steel hardware in the hopper and pivot shaft
    - Metal control handle
    - Rate setting control on handle for precise adjustments
    - Easy three-step assembly
    - Spread Width: 10'-12'
  - Includes: Raincover, screen



NN139



| Model No. | Load Capacity | Coverage sq.ft. | Pneumatic Tire Size" | Promo Price |
|-----------|---------------|-----------------|----------------------|-------------|
| NN138     | 70 lbs.       | 15000           | 10                   | 259.00      |
| NN139     | 125 lbs.      | 27000           | 14                   | 371.00      |

## Portable Ceramic Heater

- Two heat settings (1500 W and 900 W) provide full comfort and efficient operation
- Adjustable thermostat
- Big carry handle
- Adjustable vertical tilt angle



| Model No. | BTU Rating Min | BTU Rating Max | Voltage | Promo Price |
|-----------|----------------|----------------|---------|-------------|
| EA650     | 2560 BTU/H     | 5200 BTU/H     | 120 V   | 82.65       |

## Salt & Sand Containers

- Waterproof and lockable which makes it ideal for many other outdoor storage uses aside from storing loose or bagged salt, sand, or ice melter
- It can also hold garden supplies, sporting goods, pool supplies, tools, garbage/recyclables, or anything else you want to safely store
- Constructed of rugged BPA-free UV-resistant polyethylene
- Built-in pockets for forklifts allow the bins to be moved without emptying them
- Capacity: 4.24 cu. ft.
- 21" L x 27" W x 26" H



NO614

NO615

| Model No. | Description            | Colour | Promo Price |
|-----------|------------------------|--------|-------------|
| NO614     | Container              | Yellow | 130.00      |
| NO615     | Container              | Grey   | 130.00      |
| JK232     | Polyethylene Scoop, 2L | Yellow | 6.70        |

## All Weather TPE-Rubber Extension Cords

- Designed for industrial and contractor use
- All-weather jacket provides ultra flexibility and superior performance in extreme climate conditions at temperatures from -50°C to 105°C
- Provides outstanding resistance against rough use, sunlight, chemicals and moisture
- Water-resistant and flame retardant
- Lighted connectors allow you to see when the power is in use
- Molded-on and bonded plugs and connectors resist breaking
- 3-Conductor SJEOOW, 300 V grounding
- Type: Heavy-Duty



XH235



| Model No. | Length' | Gauge (AWG) | No. of Outlets | Amps | Wattage | Promo Price |
|-----------|---------|-------------|----------------|------|---------|-------------|
| XH235     | 25      | 14/3        | 3              | 15   | 1875    | 32.95       |
| XH236     | 50      | 14/3        | 3              | 15   | 1875    | 58.45       |
| XH237     | 100     | 14/3        | 3              | 13   | 1625    | 134.00      |

Printed in Canada